



# Rapise® Visual Language (RVL) User Guide

Version 5.2

Inflectra Corporation

Date: July 31st, 2017



## Contents

About . . . . .	1
Columns . . . . .	5
Comments . . . . .	7
Conditions . . . . .	7
Actions . . . . .	11
Variables . . . . .	14
Assertions . . . . .	17
If-Else . . . . .	18
Parameters . . . . .	20
Maps . . . . .	23
Loops . . . . .	30
RVL Object . . . . .	31
Map Object . . . . .	32

## About



RVL stands for **Rapise Visual Language**. It is inspired by well known software testing methodologies *Keyword Driven Testing* and *Data Driven Testing*.

This section contains a review of current approaches and concepts to highlight the ideas behind RVL design. You don't need to read this section if you want to learn RVL. However you may need it if you want to understand how it compares to other approaches and why we believe it is not just yet another approach but the way forward to diminish struggling while building real live UI Automation.

### Keyword Driven Testing

[Keyword Driven Testing](#) separates the documentation of test cases -including the data to use- from the prescription of the way the test cases are executed. As a result it separates the test creation process into two distinct stages: a design and development stage, and an execution stage.

A	B	C	D
.	<i>First Name</i>	<i>Last Name</i>	<i>Age</i>
Enter Patient	John	Smith	45
Enter Patient	Sarah	Connor	32

*Keyword Driven Testing:* Column A contains a *Keyword*, columns B, C, D provide parameters for a *Keyword*.

### Data Driven Testing

[Data Driven Testing](#) is the creation of test scripts to run together with their related data sets in a framework. The framework provides re-usable test logic to reduce maintenance and improve test coverage. Input and result (test criteria) data values can be stored in one or more central data sources or databases, the actual format and organization can be implementation specific.

A	B	C
<i>First Name</i>	<i>Last Name</i>	<i>Age</i>
John	Smith	45
Sarah	Connor	32

*Data Driven Testing:* We have test input and expected output in data sources.

### Gherkin / Cucumber

There are known approaches intended to make scripting more close to spoken languages.

This is a very wise approach improving test readability. The test case is described in [Gherkin](#) - business readable, domain specific language. It describes behavior without detailing how that behavior is implemented.

Essential part of this framework is implementation of Given-When-Then steps that should be done with one of the common programming languages. Here is the place where the need in scripting skills are still required.

### Why RVL?

Initially Rapise has everything to build *Data Driven* and *Keyword Driven* test frameworks. Even without RVL.

It is possible do define *scenarios* or *keywords*, connect to *Spreadsheet* or *Database* and build the test set.

Framework based approaches require one to split data from test logic and maintain them separately. So: \* When *AUT* or *SUT* changes (new theme, new widget, new layout) then test logic is updated and data stays the same \* When test scenarios are enriched or updated then test logic is kept intact and only data sheets are updated.

The reality of this approach leads to some challenges. These challenges are common for all test frameworks mentioned here.

1. Design of test scripts require scripting and programming skills. That person is likely to be a programmer.
2. Design of good test data requires knowledge in target domain. For example, if you application is for Blood Bank then one should have some medical skills. If it is some device control app, then you should have engineering knowledge about physical limitations of the device.

So in ideal world there are two persons working as a team: UI Automation scripting expert and target domain specialist.

In reality we see that due to real life limitations it is common that all scripting and test data is done by one person. It is either a programmer who gets familiar with target AUT domain or analyst who has some scripting skills.

### Reasons for struggling

There are several reasons that make a learning curve longer and adoption harder.

Syntax Sugar

We found a reason why people get stuck while trying to implement a test case.

Most of programming languages including *JavaScript* were designed by people with mathematical background. So this statement appears clear and simple for a programmer:

```
Deposit('John', 'O\'Connor', 17.99);
```

Programmer easily reads this as:

```
Deposit $17.99 to John O'Connor
```

So what is the difference between these notations? We found that the first and most important difficulty lays in so called *syntactical sugar*. Symbols ' " ; , . ( ) [ ] { } & \$ % # @ do have meaning for language notation however are not important for understanding the matter.

This is true even for programmers. When switching from similarly looking languages some differences easily cause frustration. For example, the same construct:

```
$a = "Number " + 1;
```

Means text concatenation in *JavaScript*, however the same is mathematical operation in *PHP*.

Comparison like:

```
if( value == "OK" )
```

Is good for *JavaScript* or *C#* world and leads `false` results in *Java*.

So even if we have programming skills it is still a problem to switch from one language to another and may produce potential issues.

### Data Tables

With Keyword Driven and Data Driven approach we get a table that represents a sequence. Sequence of patients to proceed, sequence of user logins etc.

And sometimes we feel the lack of common debugging facilities: - run keyword for only one line, - start from specific row, - or stop before processing specific line.

So here we get to a point where the table should better be a part of the script rather than just external data source.

### State of The Art

RVL reflects a common trend in programming languages where computational power and flexibility are sacrificed towards clarity and readability.

Some language is reduced to a reasonable subset in the sake of more concise and focused presentation. Just couple of examples.

[Jade](#) template engine simplifies writing HTML pages by clearing syntax sugar (`<` `>` `/` `%`) so HTML code:

```
<body>
  <p class="greeting">Hello, World!</p>
</body>
```

Gets reduced to more textual view:

```
body
  p.greeting Hello, World!
```

[Go](#) language is promoted as *Go is expressive, concise, clean, and efficient*.. In fact its authors sacrificed many advanced features of common programming languages (classes, inheritance, templates) to get more clarity. This is extremely important because sophisticated features produce sophisticated problems that are hard to nail down. And if you deal with high-load distributed systems minor gain through use of unclear feature may lead to major unpredictable loss.

## RVL Concepts

RVL's goal is to minimize the struggling.

1. We assume that one should have minimal care about the syntax sugar and syntax rules. This means that we must avoid braces, quotes or any special symbols ' " ; , . ( ) [ ] { } & \$ % # @ and make it possible to maintain the script without them.
2. We want script to be close to *Keyword Driven* and *Data Driven* testing concept. So test data and test results should be representable as data tables. This reduces the struggling of attaching the data feed to a test set.
3. We still want to have a solid language. We seek for a balance between clarity and power of language. So we want the script to be implemented on the same language. Both keyword, scenarios and data feeds should be done in a same way. This means one RVL skill is required for everything.
4. In many cases grids or tables are used to represent test data. So we want the script itself to be a grid. So all parts of it including data tables are debuggable as a part of the solid script.
5. When we think about working with table data the most common format that comes to our mind is XLS, XLSX or CSV. These formats are supported by powerful tools that make it easier to prepare data for feeding into the test set. So RVL is itself an .xls spreadsheet so its logic is expressed right there.
6. Even with Spreadsheet there is a question what may be entered into the particular cell. With RVL we have an editor where you start from left to right and each cell has limited number of options. So if you don't know language it will guide you.

## Columns

RVL script is a spreadsheet containing set of 7 columns in fixed order:

	Flow	Type	Object	Action	ParamName	ParamType	ParamValue	H
1	Flow	Type	Object	Action	Param Name	Param Type	Param Value	
2								
3								
4		Action	Global	DoLaunch	cmdLine	string	calc	
5		Param			wrkDir	string	.	
6		Param			attachIfExists	boolean	true	
7		Param			attachToWindow	string	Calculator	
8	#	<i>My scenario goes here</i>						
9		Action	_1	DoLClick	x	number	18	
10		Param			y	number	15	
11		Action	Add	DoLClick	x	number	21	
12		Param			y	number	19	
13		Action	_2	DoLClick	x	number	14	
14		Param			y	number	13	
15		Action	Equals	DoLClick	x	number	12	
16		Param			y	number	23	
17								

### Column View

- 1st *Flow* – Control flow. This column dedicated to specifying structural information such blocks, Branches (If-Else), loops.

Also it contains information about single row and multi row comments. Possible values are limited by the list:

- `\#` or `//` - single row comment
- `/*` - begin of multi row comment (comment is valid up to line starting with `*/`)
- `*/` - end of multi row comment started earlier from `/*`
- `If` - conditional branch. Row type must be `Condition`. The row may be followed with one or more `ElseIf` statements, zero or one `Else` statement and then should end with `End`.
- *2nd Type* - Type of operation specified in this row. One of:
  - `Action` - row defines an action. Action is a call for operation for one of the objects. Object is defined in the next column. See [Actions](#).
  - `Param` - signals that this row contains action parameter or condition parameter defined in last 3 columns (`ParamName`, `ParamType` and `ParamValue`).
  - `Output` - this type of row must go after last `Param` for an action and defines a variable that should accept output value returned from the call to the `Action`.
  - `Variable` - this row defines or assigns value to a local or global variable. See [Variables](#).
  - `Assert` - first row for the Assertion. See [Assertions](#).
  - `Condition`
- *3rd Object* - Id of the object to be used for action. Rapise provides set of predefined global objects and objects recorded/learned from the AUT.
- *4th Action* - One of the actions. `DoAction`, `DoClick`, `GetText` etc.
- *5th ParamName* - see [Params](#) for more information on last 3 columns
- *6th ParamType*
- *7th ParamValue*

In addition to these columns there may be any number of other columns used for storing supplementary data, comments, calculations, thoughts etc. Additional columns may be utilized for script itself (i.e. contain expected values or reference data).

## Comments

### Single Row Comments

RVL has two types of single line comments depending on the purpose.

Sometimes comment is used to exclude line of code from execution.

	Flow	Type	Object	Action	ParamName	ParamType	ParamValue	H
2								
3	//	Action	Global	DoLaunch	cmdLine	string	calc.exe	

There is a special type of single row comments intended to put long text comments into the document.

Single row comment is displayed as long text providing that: 1. Flow is set to # or // 2. Text is completely typed into the Type cell. 3. Other cells after Type are empty.

In such case the text is displayed through the whole line:

10									
11	#	My scenario goes here. We are going to perform arithmetical operation with Calculator.							
12		Action	_1	DoLClick	x	number	18		
13		Param			y	number	15		

### Multiple Row Comments

Used to disable several rows of script:

28								
29	/*							
30		Assert			message	string	TBD	
31		Action	Global	GetCurrentDir				
32		Condition		output IsTrue				
33	*/							

## Conditions

Conditions used in If and Assert statements.

### Types of Conditions

Condition accepts one or two Params.

1. There might be just one *Param*. Such condition is called *unary*, for example `param1 is true` or `output1 is true`.
2. There might be second *Param*. Such condition is called *binary*, for example `param1 == param2`.
3. Condition parameter may be either *Param* or *Action* output.
4. *Param* is some fixed *value*, *variable* or *expression*.

Binary condition with two *Params* named `param1` and `param2`:



...	Type	...	Action	ParamName	...
	Param			param1	
	Condition		<i>param1 == param2</i>		
	Param			param2	

Binary condition with *Action* and *Param* named *output1* and *param2*:

...	Type	Object	Action	ParamName	...
	Action	MyButton	GetText		
	Condition		<i>output1 == param2</i>		
	Param			param2	

Binary condition with two *Actions* named *output1* and *output2*:

...	Type	Object	Action	ParamName	...
	Action	MyButton1	GetText		
	Condition		<i>output1 != output2</i>		
	Action	MyButton2	GetText		

Unary condition with *Param* *param1*:

...	Type	...	Action	ParamName	...
	Param			param1	
	Condition		<i>param1 IsFalse</i>		

Unary condition with *Action* *output1*:

...	Type	Object	Action	ParamName	...
	Action	MyButton	GetEnabled		
	Condition		<i>output1 IsTrue</i>		

## All Conditions

### Unary conditions with *Param*

<i>Caption</i>	<i>Description</i>
param1.IsTrue	Check if param1 is true
param1.IsFalse	Check if param1 is false
param1.IsNull	Check if param1 is null
param1.IsNotNull	Check if param1 is NOT null
param1.IsSet	Check if param1 is NOT null, false, 0, empty string or undefined
param1.IsNotSet	Check if param1 is null, 0, false, empty string or undefined

### Unary conditions with *Action*

<i>Caption</i>	<i>Description</i>
output1.IsTrue	Check if output1 is true
output1.IsFalse	Check if output1 is false
output1.IsNull	Check if output1 is null
output1.IsNotNull	Check if output1 is NOT null
output1.IsSet	Check if output1 is NOT null, false, 0, empty string or undefined
output1.IsNotSet	Check if output1 is null, 0, false, empty string or undefined

### Binary conditions with *Params*

<i>Caption</i>	<i>Description</i>
param1 == param2	Check if param1 equals to param2
param1 != param2	Check if param1 NOT equal to param2
param1 > param2	Check if param1 is more than param2
param1 >= param2	Check if param1 is more or equal to param2
param1 <= param2	Check if param1 is less or equal to param2
param1 < param2	Check if param1 is less than param2
param1 contains param2	Check if param1 contains param2 as substring
CmplImage param1, param2	Compare 1st image and image represented by param2

### Binary conditions with *Action* and *Param*

<i>Caption</i>	<i>Description</i>
output1 == param2	Check if output1 equals to param2
output1 != param2	Check if output1 NOT equal to param2
output1 > param2	Check if output1 is more than param2
output1 >= param2	Check if output1 is more or equal to param2
output1 <= param2	Check if output1 is less or equal to param2

<i>Caption</i>	<i>Description</i>
output1 < param2	Check if output1 is less than param2
output1 contains param2	Check if output1 contains param2 as substring
CmplImage output1, param2	Compare 1st image and image represented by param2

### Binary conditions with Actions

<i>Caption</i>	<i>Description</i>
output1 == output2	Check if output1 equals to output2
output1 != output2	Check if output1 NOT equal to output2
output1 > output2	Check if output1 is more than output2
output1 >= output2	Check if output1 is more or equal to output2
output1 <= output2	Check if output1 is less or equal to output2
output1 < output2	Check if output1 is less than output2
output1 contains output2	Check if output1 contains output2 as substring
CmplImage output1, output2	Compare 1st image and image represented by output2

### And, Or Conditions

It is possible to make more complex conditions by using *And* and *Or* keyword in the *Flow* column.

<i>Flow</i>	<i>Type</i>	<i>...</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
If	Param			param1	variable	Result1
	Condition		<i>param1 IsFalse</i>			
<b>And</b>	Param			param1	variable	Result2
	Condition		<i>param1 IsTrue</i>			
...	...		...	...	...	...

This piece forms a condition checking that Result1 is false AND Result2 is true at the same time.

<i>Flow</i>	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
If	Action	MyButton	GetEnabled			
Condition		<i>output1 IsFalse</i>				
<b>Or</b>	Param			param1	variable	Result1
Condition		<i>param1 IsTrue</i>				
...	...		...	...	...	...

This piece forms a condition checking that *MyButton* is Enabled OR *Result2* is true at the same time.

## Examples

Condition is never used alone. You may find examples of conditions in chapters devoted to [Assertions](#) and [If-Then-Else](#).

## Actions

In RVL Action always refers to an operation performed with object.


<i>Flow</i>	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
	Action	MyButton	DoClick	x	number	5
	Param			y	number	7

If row type is *Action* then there must be *Object* and *Action* cells defined.

**Note:** In this example we call an operation that would look in JavaScript as follows:

```
SeS('MyButton').DoClick(5,7);
```


*Object* is an ID of learned or Global object. Available objects may be found in the *Object Tree*:



*Object tree* contains list of available objects, including: 1. *Local objects* (1) learned recorded or learned from the application under test. 2. *Global object*. Always available set of objects containing most common utility functions and operations. 3. *Functions*. Represent global JavaScript functions. Each time you define a global function in .user.js file it becomes available for calling from RVL with special object ID Functions.

Use Functions	35	Action	Functions	MyFunction	str1	string		
MyFunction	36	Param			b2	boolean	false	
MyUseFunction	37	Param			n3	number	0	


Each Object has its own set of actions. You may also see them in the object tree:



An *Action* may have any number of parameters. See [Params](#) for more info.

### Editing Action

An Action may have both mandatory and optional params. When action is selected from the dropdown its params are displayed:



By default RVL editor pre-fills only mandatory params for you when you select an action from the dropdown. In this example DoLaunch has one mandatory parameter cmdLine so here is what you get when you select it:

39	Action	Global	DoLaunch	cmdLine	string
40					
41					
42					

However the situation is differs if you hold the **Shift** key while choosing an Action from the dropdown:

39	Action	Global	DoLaunch	cmdLine	string
40	Param			wrkDir	string
41	Param			attachIfExists	boolean
42	Param			attachToWindow	string

You may see that all parameters are applied in this case.

- **Note:** if you you already have have the same action and select it with **Shift** key again, no optional params are applied. You need to clean the *Action* cell and re-select it with **Shift** if you want to achieve the desired effect.

### Examples

Click on Home

Action	Home	DoClick
--------	------	---------

Action without parameters

Action with single parameter. In RVL each parameter takes one line with *Action*=Param. However for the 1st param there is an exception. It may occupy the same line as *Action* itself:

Set Text librarian in Username:

Action	Username_	DoSetText	txt	string	librarian
--------	-----------	-----------	-----	--------	-----------

39	Action	Global	DoLaunch	cmdLine	string
40	Param			wrkDir	string
41	Param			attachIfExists	boolean
42	Param			attachToWindow	string

Action with many parameters:

## Variables

In RVL, variables are useful for storing intermediate results as well as accessing and passing global values to external *JavaScript* functions.

Variables may be used in **Params** to **Conditions** and in **Actions**.

### Declaring and Assigning

This line declares a variable without any values. Its value may be assigned later:

<i>Flow</i>	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
	<b>Variable</b>			MyVar1		

This line declares and assigns value 5 to a variable MyVar2:

<i>Flow</i>	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
	<b>Variable</b>			MyVar2	number	5

If the variable is declared earlier, then assignment just changes its value. If the variable is not yet declared, then assignment is actually a declaration with assignment.

### Using

Any **Params** value may accept a *variable*:

<i>...</i>	<i>Type</i>	<i>...</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
<i>...</i>	Param		text	variable	MyVar1

Any **Params** value may accept an *expression* using variables:

<i>...</i>	<i>Type</i>	<i>...</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
<i>...</i>	Param		text	expression	MyVar2 + 4

Any **Action** may write its return value to a variable using the *Output* statement:

<i>Flow</i>	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
	Action Output	Global	DoTrim	str	string variable	text to trim MyVar1

The Output value may then be used as a param value in actions, conditions, assertions and expressions.

### Local Variables

By default declared variables are assumed to be local. Local variables may be used only within the current RVL script and not visible from other RVL scripts or *JavaScript* code.

### Global Variables

You may have a *JavaScript* variable defined in the user *Functions* file (`*.user.js`), i.e.:

```
// Piece from MyTest1.user.js
var globalVar = "Value";
```

Then in the RVL you may declare `globalVar` as global and access it (read or assign values). Declaring a variable as global is simple:

Flow	Type	Object	Action	ParamName	ParamType	ParamValue
	Variable		<b>Global</b>	globalVar		

Global variables are useful for exchanging and/or sharing data between different RVL scripts or between *RVL* and *JavaScript*.

### Variable Actions

One may use an expression to change the value of a variable. Here are several common variable operations that may be used to modify variable values:

1. *Increment* is an operation where numeric value is increased by 1 or any other specified value. The variable must have a numeric value. Otherwise the result is NaN.

If no param to *Increment* is specified then 1 is assumed:

Flow	Type	Object	Action	ParamName	ParamType	ParamValue
	Variable		<b>Increment</b>	numVar		

Otherwise it is any *value*:



Flow	Type	Object	Action	ParamName	ParamType	ParamValue
	Variable		Increment	numVar	number	value

2. *Decrement* is the same as increment but the value is subtracted from the variable.
3. *Append* adds the value as text to the specified variable. This operation is useful for constructing text messages:

Flow	Type	Object	Action	ParamName	ParamType	ParamValue
	Variable		Append	textVar	string	Final value:
	Variable		Append	textVar	variable	numVar

In this example if `textVar` was empty and `numVar` had value 5 then the final value of `textVar` is the following text: Final value: 5

### Examples

Variables may be declared as *Local* or *Global*. Declaration may or may not contain initial value

<i>Declare global variables. If it is assigned earlier then keep its value</i>						
Variable		Global		g_bookName		
<i>Declare global variable and assign its value</i>						
Variable		Global		g_genre	string	NonFiction
<i>Declare local variable without value</i>						
Variable		Local		OsVersion		
<i>Declare local variables and assign initial values</i>						
Variable		Local		StringVar	string	some text
Variable		Local		NumVar	number	35
Variable		Local		BoolVar	boolean	false

Variables may accept output from the *Action*:

<i>Declare local variable without value</i>						
Variable		Local		OsVersion		
Action	Global		GetOsVersion			
Output					variable	OsVersion

Variables may be used as input to the *Action*:

<i>Use variable as a parameter</i>						
Action	Tester		Message	message	variable	OsVersion

## Assertions

*Assert* is an essential operation for testing and validation. RVL provides special structure for it to make it more readable.

Assertion has 2 parts: 1st row is Assert containing assertion message and then goes **Condition**:

...	Type	...	Action	ParamName	...
	Assert			message	string
	Param			param1	
	Condition		<i>condition statement</i>		
	Param			param2	

Assertion first line is always the same except the *Param Value*.

In RVL Action always refers to an operation performed with object.

...	Type	Object	Action	ParamName	ParamType	ParamValue
	Assert			message	string	Assertion text to be displayed in the report
	Param			param1	string	Text1
	Condition		param1!=param2			
	Param			param2	string	Text2

## Examples

Compare object property *InnerText* with expected value:

<i>Verify that: InnerText=Sister Carrie</i>						
Assert				message	string	Verify that: InnerText=Sister Carrie
Action	<input type="checkbox"/>	Sister_Carrie	GetInnerText			
Condition			output1 == param2			
Param				param2	string	Sister Carrie

Check if object exists on the screen:

<i>Check that object 'Sister_Carrie' exists</i>						
Assert				message	string	Check that object 'Sister_Carrie' exists
Action	<input checked="" type="radio"/>	Global	DoWaitFor	objectId	objectid	Sister_Carrie
Condition			output1 IsSet			

Check if variable *Age* has value '74':

<i>Check that variable Age contains value '74'</i>						
Assert				message	string	Check that Age=74
Param				param1	variable	Age
Condition			param1 == param2			
Param				param2	string	74

## If-Else

If using for branching statements in RVL.

Basic branch statement has 2 parts: 1st row is If flow with Condition:

### If

Flow	Type	...	Action	ParamName	...
If	Param			param1	
	Condition		<i>condition statement</i>		
	Param			param2	
	<b>some</b>	<b>actions</b>	<b>go</b>	<b>here</b>	
End					

Actions after If condition and up to End statement are executed when condition is truth.

## If-Else

If-Else statement is similar to If with one extension. It contains an alternative Else section that is executed when If condition is false:

Flow	Type	...	Action	ParamName	...
If	Param			param1	
	Condition		<i>condition statement</i>		
	Param			param2	
	<b>some</b>	<b>actions</b>	<b>go</b>	<b>here</b>	
Else					
	<b>other</b>	<b>actions</b>	<b>go</b>	<b>here</b>	
End					

## If-Elseif

ElseIf is a way to establish a chain of conditions. Each condition is evaluated with previous is false.

If-Else statement is similar to If with one extension. It contains an alternative Else section that is executed when If condition is false:

<i>Flow</i>	<i>Type</i>	...	<i>Action</i>	<i>ParamName</i>	...
If	Param			param1	
	Condition		<i>condition statement</i>		

<i>Flow</i>	<i>Type</i>	<i>...</i>	<i>Action</i>	<i>ParamName</i>	<i>...</i>
	Param			param2	
	<b>some</b>	<b>actions</b>	<b>go</b>	<b>here</b>	
Elseif	Param			param1	
	Condition		<i>condition statement</i>		
	Param			param2	
	<b>other</b>	<b>actions</b>	<b>go</b>	<b>here</b>	
End					

There may be many Elseif blocks:

<i>Flow</i>	<i>Type</i>	<i>...</i>	<i>Action</i>	<i>ParamName</i>	<i>...</i>
If	Param			param1	
	Condition		<i>condition statement</i>		
	Param			param2	
	<b>some</b>	<b>actions</b>	<b>go</b>	<b>here</b>	
Elseif	Param			param1	
	Condition		<i>condition statement</i>		
	Param			param2	
	<b>other</b>	<b>actions</b>	<b>go</b>	<b>here</b>	
Elseif	Param			param1	
	Condition		<i>condition statement</i>		
	Param			param2	
	<b>other</b>	<b>actions</b>	<b>go</b>	<b>here</b>	
End					

And there might also be an Else block in the end:

<i>Flow</i>	<i>Type</i>	<i>...</i>	<i>Action</i>	<i>ParamName</i>	<i>...</i>
If	Param			param1	
	Condition		<i>condition statement</i>		
	Param			param2	
	<b>some</b>	<b>actions</b>	<b>go</b>	<b>here</b>	
Elseif	Param			param1	
	Condition		<i>condition statement</i>		
	Param			param2	
	<b>other</b>	<b>actions</b>	<b>go</b>	<b>here</b>	
Elseif	Param			param1	
	Condition		<i>condition statement</i>		
	Param			param2	

<i>Flow</i>	<i>Type</i>	<i>...</i>	<i>Action</i>	<i>ParamName</i>	<i>...</i>
	<b>other</b>	<b>actions</b>	<b>go</b>	<b>here</b>	
Else					
	<b>other</b>	<b>actions</b>	<b>go</b>	<b>here</b>	
End					

## Examples

Check if Log In link available. If so, do login:

If	Action	Global	DoWaitFor	objectId	objectId	Log_In
	Condition		output1 IsSet			
#	<i>If actions</i>					
	Action	Log_In	DoClick			
	Action	Username_	DoSetText	txt	string	librarian
	Action	Password_	DoSetText	txt	string	librarian
	Action	ctl00\$MainContent\$LoginUser\$Logi	DoClick			
End						

Check if we use old version of OS and assign a variable OldWindows accordingly:

	Variable		Local	OldWindows		
If	Action	Global	GetOsType			
	Condition		output1 contains param2			
	Param			param2	string	Windows 7
#	<i>If actions</i>					
	Variable			OldWindows	boolean	true
Else						
#	<i>Else actions</i>					
	Variable			OldWindows	boolean	false
End						

## Parameters

The last 3 columns in the RVL table are used for passing parameters:

<i>...</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
...	text	string	John Smith
...	x	number	5
...	y	number	7
...	forceEvent	boolean	true

- 5th column - *ParamName* - name of the parameter. This column's intention is readability and it does not affect execution. However it names input parameters and makes it easier to understand each provided input option.

- 6th column - *ParamType* - value type. This may be a basic scalar type (number, string, boolean, object) as well as one of the following additional 'special' types:
  - - *expression* - any valid JavaScript expression that may involve global variables and functions and local variables.
  - - *variable* - the parameter value is read from a variable.
  - - *objectid* - ID of one of the learned Objects.
- 7th column - *ParamValue* - a value that is acceptable for the specified *ParamType*. For boolean it is `true` or `false`. For number is any floating point number (i.e. 3.14). For string, any text without quotes or escape signs.

### Param Rows

In RVL each parameter takes one row:

...	Type	...	ParamName	ParamType	ParamValue
...	Param		text	string	John Smith
...	Param		x	number	5
...	Param		y	number	7
...	Param		forceEvent	boolean	true

### Param Arrays

Some methods accept arrays of values as input values. For example `Tester.Message` may take its 1st `message` parameter as an array and prints them combined. Making an array is easy, several consequent parameters having the same name are combined into an array, i.e.:

Flow	Type	Object	Action	ParamName	ParamType	ParamValue
	Action	Tester	Message	<b>message</b>	<b>string</b>	MyVar1 value:
	Param			<b>message</b>	<b>variable</b>	<b>MyVar1</b>
	Param			<b>message</b>	<b>string</b>	MyVar2 value:
	Param			<b>message</b>	<b>variable</b>	<b>MyVar2</b>

Should report a message like:

```
MyVar1 value: 25 MyVar2 value: 33
```

### Mixed Rows

In some cases it is convenient to mix parameter cells with an *Action* or *Condition*.

For example, the 1st parameter of an *Action* may share the *Action* row:

<i>Flow</i>	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
	Action	MyButton	DoClick	<b>x</b>	<b>number</b>	<b>5</b>
	Param			y	number	7

And this is equivalent to putting it in the next row:

<i>Flow</i>	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
	Action	MyButton	DoClick			
	Param			<b>x</b>	<b>number</b>	<b>5</b>
	Param			y	number	7

Or `param2` of the *condition* may be on the same row:

...	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
	Param			param1	string	Text1
	Condition		param1!=param2	<b>param2</b>	<b>string</b>	<b>Text2</b>

Which is equivalent to:

...	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
	Param			param1	string	Text1
	Condition		param1!=param2			
	Param			<b>param2</b>	<b>string</b>	<b>Text2</b>

This allows saving space while keeping same readability.

### Map Params

If `map` is defined in the script it may be used directly as a parameter. *ParamType* should be set to `Map` Name and *ParamValue* is a column (or row) name:

Flow	Type	Object	Action	ParamName	ParamType	ParamValue
Map	Rows	Logins				
	<b>Login</b>	<b>Password</b>				
	John	pass1				
	Sarah	pass2				
End						
	Action	Tester	Message	message	Logins	Password

## Maps

A *Map* is designed to be an easy way to define tables of data. Items in the map may be accessed by name (if defined) or by index.

The indexed dimensions in the map may also be iterated by the [Loop][Loops.md] function, thus making it useful feature for Data-Driven Testing.

Flow	Type	Object	Action
Map	Rows	Logins	
	<b>Login</b>	<b>Password</b>	
	John	pass1	
	Sarah	pass2	
End			

An RVL script has at least 7 **columns**. However the *Map* may take as many columns as needed.

### Map Definition

Typical declaration of map looks like:

<i>Flow</i>	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
<i>Map</i>	MapType	<b>MapName</b>				
...	...	...				
<i>End</i>						

Where MapType is either inplace: *Table*, *Rows*, *Columns*, or external: *Range* or *Database*.

### In-place maps

In-place map data is defined right in the RVL script. In-place map rows may be selected using *This* flow or skipped with a **Comment**. So in-place maps serve as a part of the executable script.



- *Table*
- *Rows*
- *Columns*

**External maps:**

- *Range*
- *Database*

External maps are defined in an external spreadsheet, file or a database.

**Using Maps**

Once map is defined it may be used as a regular **Object**.

Map	Rows	Logins	
	<b>Login</b>	<b>Password</b>	
	John	pass1	
	Sarah	pass2	
End			
	Action	Logins	▼
			<ul style="list-style-type: none"> <li>DoMoveToColumn ▲</li> <li>DoMoveToFirstColumn</li> <li>DoMoveToFirstRow</li> <li>DoMoveToLastColumn</li> <li>DoMoveToLastRow</li> <li>DoMoveToRow</li> <li>DoSequential</li> <li>GetCell ▼</li> </ul>

**Reading in a Loop**

See **Loops** part for Map type of loops.

**Maps Types**

**Rows Map**

A **Rows** Map is the most useful for data feeds. Each of the set of values is a row in a table that look like:

<i>Flow</i>	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
<i>Map</i>	Rows	<b>MapName</b>				
		<b>Col1</b>	<b>Col2</b>	<b>Col3</b>	<b>Col4</b>	
		val11	val12	val13	val14	
		...				
		...				
<i>End</i>						

This and comments are specific features of the Rows Map. For example, only the 2nd row of data will be executed in this case:

<i>Flow</i>	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
<i>Map</i>	Rows	<b>MapName</b>				
		<b>Col1</b>	<b>Col2</b>	<b>Col3</b>	<b>Col4</b>	
		...				
<b>This</b>		...				
		...				
<i>End</i>						

Rows are designed to be iterated in a [Loop](#)

In real example it looks like this:

Map	Rows	MyMap1
	<b>Login</b>	<b>Password</b>
	John	testpass
	Sarah	testpass
<b>This</b>	Jim	testpass
	Peter	testpass
	John	testpass
	Fred	testpass
End		

**Comments** may also be used to skip specific rows or row sets.

### Columns Map

A **Columns Map** is a convenient way for representing data when you have many options combined in few sets.

<i>Flow</i>	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
<i>Map</i>	Columns	<b>MapName</b>				
		<b>Row1</b>	...			
		<b>Row2</b>	...			
		<b>Row3</b>	...			
<i>End</i>						

The same may be represented as **Rows** but would require many columns and sometimes it is harder to read. So columns is ideal for storing configuration structures:

<b>Map</b>	<b>Columns</b>	<b>ConfigData</b>
	<b>Url</b>	http://localhost:8080/
	<b>Login</b>	testuser
	<b>Password</b>	testpass
	<b>Age</b>	44
<b>End</b>		

When a **Columns Map** is used in the **Loop**, then the iteration is performed through the columns and addresses the rows by name within the loop. I.e. the 1st iteration chooses 1st column, 2nd goes to 2nd column and so on.

### Table Map

A **Table map** has both columns and rows named.

<i>Flow</i>	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
<i>Map</i>	Table	<b>MapName</b>				
		<b>Col1</b>	<b>Col2</b>	<b>Col3</b>	<b>Col4</b>	
		<b>Row1</b>	...			
		<b>Row2</b>	...			

Flow	Type	Object	Action	ParamName	ParamType	ParamValue
		<b>Row3</b>	...			
End						

Map	Table	TableMap	Staging	QA	Prod
	<b>Url</b>	http://staging.myho...	http://qa.myhost.co...	http://myhost.com/	
	<b>User</b>	test	qatest	john	
	<b>Password</b>	pass	pass	QAasd*&983	
	<b>Age</b>	33	33	33	
End					

When a Table Map is used in the Loop, then the iteration is performed through the columns and addresses the rows by name within the loop. I.e. 1st iteration chooses 1st column, 2nd goes to 2nd column and so on.

It is convenient to use a Table Map when you have several columns and many rows so it perfectly fits into the screen. For example you may have several alternative configuration sections and want to use them depending on the situation. In the example below we have several sites (Testing, QA, Prod) each having own Url, Login etc. So we want to quickly switch between sites when working with test.

Map	Table	TableMap	Staging	QA	Prod
	<b>Url</b>	http://staging.myho...	http://qa.myhost.co...	http://myhost.com/	
	<b>User</b>	test	qatest	john	
	<b>Password</b>	pass	pass	QAasd*&983	
	<b>Age</b>	33	33	33	
End					
	Action	TableMap	DoMoveToColumn	colInd	string
	Action	Navigator	Navigate	url	TableMap

### Range Map

Range map contains no in-place data, but defines a region in the external spreadsheet to read information from.

Map	Range	MyMap1	fileName	string	Calc.xls
	Param		sheetName	string	Data\$
	Param		fromRow	number	0
	Param		fromCol	number	0
	Param		toRow	number	2
	Param		toCol	number	10
End					

A Range map definition contains a number of required parameters:

- *fileName* Path to file containing data. It may point to .xls, .xlsx or .csv file. If when it is empty we assume that data is stored in the same .rvl.xls spreadsheet as the script.
- *sheetName* Excel Sheet name. May be empty for .csv spreadsheets.
- *fromRow* 0-based index of the first row containing data. Usually first row is assigned as a header containing column names.
- *fromCol* 0-based index of the first column containing data.
- *toRow* final row index. If set to -1 then final row is detected automatically (as last row containing some data in the 1st column)
- *toCol* final column index. If set to -1 then final column is detected automatically as last column containing data in the 1st row.

Also there is a hidden parameter:

- *hasColumnNames* boolean. By default it is `true` meaning that 1st rows is assumed to contain column names. Once it is `false` the columns will have no names and may only be accessed by 0-based index.

Data in the `Range` map is assumed to be similar to `Rows` map, but defined externally. Looping is done by rows. Typical external file containing data may look like that:

	A	B	C	D
1	Item1	Operation	Item2	Result
2	15	+	13	28
3	5	*	6	30
4	19	-	3	16
5	8	/	4	2

### Database Map

A Database map contains no in-place data, but defines a connection to the database result set.

Map	Database	MyMap1	connectionString	string	MYSQL1
	Param		query	string	select * from contacts
End					

The Database map definition contains two parameters:

- *connectionString* ADO connection string.

- *query* usually it is an SQL query to execute.

*connectionString* parameter allows accessing wide variety of different database sources. You may learn ore here: <https://docs.microsoft.com/en-us/sql/ado/reference/ado-api/connectionstring-property-ado>.

Some samples of typical ADO connection string values:

Microsoft Access

```
Provider=MSDASQL; Driver={Microsoft Access Driver (*.mdb)}; DBQ=C:\path\
```


Microsoft Excel

```
Provider=MSDASQL; Driver={Microsoft Excel Driver (*.xls)}; DBQ=C:\path\
```

Microsoft Text

```
Provider=MSDASQL; Driver={Microsoft Text Driver (*.txt; *.csv)}; DBQ=C:\
```

An example below refers to ODBC Data Source defined as follows:



## Loops

Loops serve several needs in RVL:

1. Iterate through **Maps** to make data-driven testing easier.
2. Allows you to repeat a set of actions for a given number of iterations.
3. Lets you repeat a loop body while some **Condition** is satisfied.

### Loop Map

A **Map** allows both reading script data from the table defined in the same script or from external data source such as spreadsheet, file or database. Once a Map is defined, the loop is the simplest way of traversing it.

<i>Flow</i>	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
Loop	Map	<i>MapName</i>				
	...		...	...	...	...
End						

Where *MapName* should be name of the map declared earlier in the same script.

The loop goes through either the map rows or through the map columns depending on the type of map:

- For Rows, Range or Database type of Map, the loop goes through rows. I.e. 1st iteration points to 1st Row, then 2nd iteration points to 2nd row etc.
- For Columns and Table types of Map, the iteration goes through the columns.

### Loop Variable

Flow	Type	Object	Action	ParamName	ParamType	ParamValue
Loop	Variable	ind		from	number	1
	Param			to	number	10
#	<i>Loop body</i>					
End						

<i>Flow</i>	<i>Type</i>	<i>Object</i>	<i>Action</i>	<i>ParamName</i>	<i>ParamType</i>	<i>ParamValue</i>
Loop	<b>Variable</b>	<i>VarName</i>		from	number	1
	Param			to	number	10
	...		...	...	...	...

Flow	Type	Object	Action	ParamName	ParamType	ParamValue
End						

Where:

- *VarName* is an optional name of variable. It may be avoided if the goal is just to do specified number of iterations. If *VarName* is set, then the corresponding variable is assigned with the `from` value and incremented up to the `to` value throughout the loop. If *VarName* refers to an existing local or global variable then it is used, otherwise a local variable named *VarName* is created.
- *from* initial value of the loop variable
- *to* final value of the loop variable
- *step* optional, default is 1. Loop step to increment in each iteration.

### Loop Condition

Loop	Param			param1	variable	ind
	Condition		param1 < param2			
	Param			param2	number	2
#	<i>Loop body</i>					
End						

Loop repeats while condition is satisfied (i.e. `while (someCondition)`).

### RVL Object

RVL Object

Some common tasks related to script execution, such as calling scripts, executing separate sheets, returning, exiting and bailing out is served by RVL.

### Actions

#### DoPlayScript

**DoPlayScript** (**/\*\*String\*/scriptPath, /\*\*String\*/sheetName**)

Play RVL script using specified

- `scriptPath {/**string*/}`: Path to script
- `sheetName {/**string*/}`: Excel sheet containing the script



**Exit****Exit(/\*\*String\*/ message, /\*\*Boolean\*/isError)**

Break execution at the specified line

- message {/\*\*string\*/}: Exit message
- isError {/\*\*boolean\*/}: Specify 'false' if you want just exit without exit message

**Return****Return(/\*\*String\*/ message)**

Return from specified line. This method should be called from within RVL

- message {/\*\*string\*/}: Return message

**DoPlaySheet****DoPlaySheet(/\*\*String\*/sheetName)**

Run current script from specified sheet

- sheetName {/\*\*string\*/}: Sheet Name

**Properties****CurrentScriptPath****\*\* GetCurrentScriptPath() \*\***

Return path to currently executed .rvl.xls file

**CurrentScriptSheet****\*\* GetCurrentScriptSheet() \*\***

Return sheet name of the currently executed .rvl.xls file

**Map Object**

Map Object

Represents an RVL Map object and all its operations. The same operations are used by the RVL runtime implicitly to read the cell value or iterate through the Map.

## Actions

### DoMoveToRow

**DoMoveToRow (/\*\*Number\*/ colInd)**

Moves to a given row.

rowInd Row index (or name) to set active.

### DoSequential

**DoSequential ()**

Advances to the next row in the range. The range is either set by SetRange or it is the default range that includes all rows on the sheet except first row which is considered to contain column names. When the end of the range is reached, DoSequential rewinds back to the first row in the range and returns 'false'.

Returns 'false' if being called when active row is the last row or the spreadsheet is not attached, 'true' - otherwise.

### DoMoveToColumn

**DoMoveToColumn (/\*\*Number|String\*/colInd)**

Moves to a given column.

colInd Column index (or name) to set active.

### DoMoveToFirstColumn

**DoMoveToFirstColumn ()**

Moves to a first column in the map.

### DoMoveToFirstRow

**DoMoveToFirstRow ()**

Moves to a first row in the map.

### DoMoveToLastColumn

**DoMoveToLastColumn ()**

Moves to a last column in the map.

**DoMoveToLastRow****DoMoveToLastRow()**

Moves to a last row in the map.

**Properties****Cell**

```
** GetCell(/**Number|String*/ columnId, /**Number*/ rowId) **
```

Gets a cell value by its coordinates. It returns the current cell value after DoSequential or DoRandom if the parameters are not set.

[columnId] Column index or name. If not set ActiveColumn is used.

[rowId] Row index. If not set ActiveRow is used.

**ColumnCell**

```
** GetColumnCell(/**Number*/ rowId) **
```

Gets cell value by its coordinates. Returns current cell value after DoSequential. If not set ActiveColumn is used.

[rowId] Row index. If not set ActiveRow is used.

**ColumnCount**

```
** GetColumnCount() **
```

Gets columns count.

Returns Number of columns in the spreadsheet.

**ColumnIndexByName**

```
** GetColumnIndexByName(/**String*/name) **
```

Gets column name.

name Column name.

Returns column index if found, or -1.

**ColumnName**

```
** GetColumnName (/**Number*/ ind) **
```

Gets column name.

ind Column index.

Returns Name of column in the spreadsheet.

**RowCount**

```
** GetRowCount () **
```

Gets rows count.

Returns Number of rows in the spreadsheet.

**RowIndexByName**

```
** GetRowIndexByName (/**String*/name) **
```

Gets row name.

name Row name.

Returns row index if found, or -1.

**CurrentRowIndex**

```
** GetCurrentRowIndex () **
```

Get zero based current row index.

**EOF**

```
** GetEOF () **
```

Is current position is beyond the map boundaries range.

**RowCell**

```
** GetRowCell (/**Number|String*/ columnId) **
```

Gets cell value for current row. Returns current cell value after DoSequential. ActiveRow is used.

[columnId] Column index or name. If not set ActiveColumn is used.

**RowName**

```
** GetRowName (/**Number*/ ind) **
```

Gets row name.

ind Row index.

Returns Name of row in the map.

**Value**

```
** GetValue (/**Number|String*/ rowOrColumnNameOrId) **
```

Gets cell value by its name or id. Returns current cell value after DoSequential. If it is Rows or Table then the parameter needs to be a column name or index, and ActiveRow is used. If it is Columns then the parameter needs to be a row name or index, and ActiveRow is used.

[rowOrColumnNameOrId] Row or Column index or Name.

## Legal Notices

This publication is provided as is without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of merchantability, fitness for a particular purpose, or non-infringement.

This publication could include technical inaccuracies or typographical errors. Changes are periodically added to the information contained herein; these changes will be incorporated in new editions of the publication. Inflectra Corporation may make improvements and/or changes in the product(s) and/or program(s) and/or service(s) described in this publication at any time.

The sections in this guide that discuss internet web security are provided as suggestions and guidelines. Internet security is constantly evolving field, and our suggestions are no substitute for an up-to-date understanding of the vulnerabilities inherent in deploying internet or web applications, and Inflectra cannot be held liable for any losses due to breaches of security, compromise of data or other cyber-attacks that may result from following our recommendations.

Rapise® and Inflectra® are either trademarks or registered trademarks of Inflectra Corporation in the United States of America and other countries. All other trademarks and product names are property of their respective holders.

Please send comments and questions to:

Technical Publications

Inflectra Corporation

8121 Georgia Ave, Suite 504

Silver Spring, MD 20910-4957

U.S.A.

[support@inflectra.com](mailto:support@inflectra.com)