



SpiraTeam®

Help Desk Integration Guide

Inflectra Corporation

Date: September 12, 2016



Contents

Introduction	1
1. Zendesk	2

Introduction

SpiraTeam® is an integrated **Application Lifecycle Management** (ALM) system that manages your project's requirements, releases, test cases, issues and tasks in one unified environment:

SpiraTeam® contains all of the features provided by SpiraTest® - our highly acclaimed **test management system** and SpiraPlan® - our **agile project management** solution. With integrated customizable dashboards of key project information, SpiraTeam® allows you to take control of your entire project lifecycle and synchronize the hitherto separate worlds of development, issues tracking, and testing.

Many organizations use helpdesk applications to interact with clients and customers. These tools can also provide powerful feedback about issues in your products. Therefore SpiraPlan, SpiraTest and SpiraTeam are capable of integrating with a number of help desk systems, including **KronoDesk®** (Inflectra's fully featured helpdesk tool).

This guide outlines how to integrate and use SpiraTest, SpiraPlan and SpiraTeam in conjunction with third party helpdesk applications, to more closely integrate product development and testing with user feedback.

This guide assumes that the reader is familiar with both SpiraTeam and the appropriate tool being discussed. For information regarding how to use SpiraTeam, please refer to the *SpiraTeam User Manual*.

Each of the sections covers a different tool so we recommend using the table of contents on the left to locate the tool you're looking to either integrate or migrate from, then read the installation and usage instructions.

1. Zendesk

This section outlines how to integrate Zendesk into SpiraTeam®. This will enable Zendesk agents to log incidents emerging from a ticket directly from the Zendesk interface into SpiraTeam®. They will also be able to see and review any SpiraTeam® incidents already linked to existing Zendesk tickets. The integration is in the form of a Zendesk app, available for free, from the Zendesk marketplace.

Overview to Get Up and Running

- ✓ Use SpiraTeam version 5+ and Zendesk, using modern browsers
- ✓ Create a new administrator in SpiraTeam (called something like “Zendesk”)
- ✓ Make sure the Zendesk user has an api-key
- ✓ Install the SpiraTeam app from the Zendesk marketplace
- ✓ Configure the app with url, username, and api-key information
- ✓ Make sure SpiraTeam allows Zendesk to connect to it
- ✓ Get Zendesk to connect to SpiraTeam (perform an initial handshake)
- ✓ Make sure each relevant SpiraTeam project is set up to work with Zendesk

1.1. Installing the SpiraTeam app

This section outlines the steps required to ensure that the links between Zendesk and SpiraTeam will work correctly.

Summary of requirements

There are a number of elements needed for both applications to successfully communicate:

- A working installation of SpiraTeam v5.0 or later
- The SpiraTeam server must have an authenticated certificate and be accessible over HTTPS
- A working account with Zendesk
- Zendesk agents must be using a modern browser (IE10 or later)
- A SpiraTeam admin account whose username and API-key (**not** password) can be saved inside the Zendesk app settings

1.1.1 Initial Configuration of SpiraTeam

Zendesk and SpiraTeam need to communicate and post data to one another cross domain. To ensure effective security SpiraTeam therefore needs to be accessible via HTTPS (i.e. using a certificate). If this is not already in place, contact your network administration for support.

Note: all SpiraTeam hosted accounts are already accessible via HTTPS (only).

Zendesk and SpiraTeam communicate through a security protocol called CORs to ensure that each application only receives data from trusted domains. The subdomain of your Zendesk account is required by SpiraTeam to validate any calls it receives.

Log in as a project-level administrator to SpiraTeam, go to the Administration home page and scroll to System > Security Settings.

▼ System

- > [General Settings](#)
- > [File Type Icons](#)
- > [Edit Reports](#)
- > [License Details](#)
- > [LDAP Configuration](#)
- > [Security Settings](#)
- > [Event Log](#)

At the bottom of the Security Settings page, enter the Zendesk subdomain in the “Allowed Domains” text box, making sure to include the full url (i.e including https:// before the domain address). Click <Update> for the changes to take effect. The url should be in the format of: “**https://yoursubdomain.zendesk.com**”

Security Settings

This page allows you to modify the SpiraTeam application security settings:

Allow User Registration*:

Set this to True if you want to allow users to be able to signup for an account themselves.

Maximum # Invalid Password Attempts*:

The number of times a user can enter an incorrect password before their account gets locked out

Minimum Required Password Length*:

The minimum length of a user's chosen password

Minimum Required Special Characters*:

The minimum number of non-alphanumeric characters required in a user's password

Password Attempt Time Window*: minutes

The time after which a user's account gets automatically unlocked

Authentication Expiration*: minutes

This specifies the amount of time (in minutes) after which a user will be logged out due to inactivity.

Keep Me Logged-In Expiration*: minutes

This specifies the amount of time (in minutes) after which a user will be logged out due to inactivity if they have chosen to login with the 'Keep Me Logged-In' option.

Allowed Domains:

This should contain the list of other web domains that are allowed to make CORS (cross-origin) REST API calls to this instance. You can specify a comma separated list of base URLs (e.g. https://www.domain1.com, http://www.domain2.com) or an asterisk (*) to denote all domains are allowed (not recommended).

Important: if this field is left blank, NO domains will be allowed to interact with SpiraTeam via CORs. If an asterisk (*) is entered, ALL domains will be able to do so (not recommended).

The Zendesk app uses the details of a SpiraTeam user to authenticate with SpiraTeam. This needs to be, for the initial setup, a user with administrator privileges. We recommend creating a specific user account (such as “Zendesk”), so that the only incidents created by that account can be traced back to Zendesk.

Note: all tickets logged with Zendesk will be marked as originating from this user. This means that the Zendesk team do not need to have individual SpiraTeam logins.

Go to the Administration home page and scroll to Users > View / Edit Users.

▼ **Users**

- > [View / Edit Users](#)
- > [Project Membership](#)
- > [Active Sessions](#)
- > [Pending Requests](#)
- > [View / Edit Roles](#)

Click the <Add User> button on the bottom right of the page.

Fill in the required fields (see below), and make sure that:

- System Administrator is set to “Yes”
- Active is set to “Yes”
- Locked Out is set to “No”
- RSS Token is enabled
- That an RSS Token is displayed

Click <Insert> to add the new user.

Add / Edit User | New User


Please review the information listed below and make any changes if necessary. Once you have finished, click [Update/Insert] to confirm them.

First Name*:	<input type="text" value="Zen"/>
Middle Initial:	<input type="text"/>
Last Name*:	<input type="text" value="desk"/>
User Name*:	<input type="text" value="Zendesk"/>
Department:	<input type="text"/>
Email Address*:	<input type="text"/>
Email Enabled*:	<input type="text" value="No"/>
System Administrator*:	<input type="text" value="Yes"/>
Active*:	<input type="text" value="Yes"/>
Locked Out*:	<input type="text" value="No"/>
RSS Token:	<input checked="" type="checkbox"/> Enable RSS Feeds
	<input type="text" value="{23C36B3E-C8D5-45B3-AC47-4C3E5DD20E2A}"/> <input type="button" value="Generate New"/>


1.1.2 Install and Configure the SpiraTeam App in Zendesk

First, find an install the free SpiraTeam App from within Zendesk. Only administrators on Zendesk can install apps. Navigate to the Admin panel, and select Marketplace from the Apps menu. Search for “SpiraTeam” in the search field on the right, or browse by “Issues Tracking”.


You can also browse the [Zendesk app website](#).



Once the application is installed, enter required information in the settings page of the app. Go to Admin > Apps > Manage in Zendesk to see the list of installed applications.



Make sure the application is enabled. Right click on the app's gear icon to change settings



In the settings screen, make sure all input boxes are correctly filled in. Enter the username and API key that you created inside SpiraTeam above, as well as the address of SpiraTeam. Make sure that the API key is an alphanumeric string contained within curly braces – { }. Click <Update>.

INSTALLATION

Title*

subdomain*

username*


apiKey*

Enable role restrictions?


[Cancel](#)

1.1.3 Connecting Zendesk to SpiraTeam

Zendesk should now be able to communicate fully with SpiraTeam. In order for SpiraTeam to be informed that you are using the Zendesk app, simply navigate to any ticket, click on the app sidebar (on the right of the Zendesk window) and locate the SpiraTeam app. You should see a screen like that below, giving you a welcome message on the successful connection of Zendesk to SpiraTeam.



If you instead see a message like that below (note that you will also see a Zendesk service notification), please check your network settings, and double check through the steps outline above.



1.1.4 Connecting SpiraTeam to Zendesk

Zendesk can now retrieve information from SpiraTeam. For Zendesk to be able to write all the information it needs to SpiraTeam, you need to grant Zendesk access in each relevant project (i.e. any project that a Zendesk agent may need to submit an incident about).

If you wish, at this time you can change the account of the dedicated "Zendesk" user to no longer be an administrator. Make sure proper permissions are set so that the user has full access to incidents in all relevant projects.

In SpiraTeam, navigate to a project Zendesk will need access to. Go to the SpiraTeam administration panel and then Integration > Data Synchronization.

▼ **Integration**

- > [Version Control](#)
- > [Data Synchronization](#)
- > [Test Automation](#)
- > [Add-Ons & Downloads](#)
- > [Web Services](#)

This will show you the list of current external tools that can synchronize custom data directly with SpiraTeam. Zendesk should appear as the last “Plug-In” in the table.

Data Synchronization ([Refresh](#))

SpiraTeam is able to communicate with a variety of external systems and applications using its background data synchronization service and library of available plug-ins.

This page allows you to view, add and modify the list of plug-ins, make changes to their configuration, and verify the status of the most recent synchronization. In addition, you can force a particular plug-in to perform a complete data-synchronization by resetting its date of last sync:

Plug-In	Data Mapping	Last Sync Date	Status	Operations
BugzillaDataSync	> View Project Mappings	-	Not Run	> Force Re-Sync Edit Delete View Errors
FogBugzDataSync	> View Project Mappings	-	Not Run	> Force Re-Sync Edit Delete View Errors
JiraDataSync	> View Project Mappings	-	Not Run	> Force Re-Sync Edit Delete View Errors
MsTfsDataSync	> View Project Mappings	-	Not Run	> Force Re-Sync Edit Delete View Errors
Zendesk	> View Project Mappings	-	Not Run	> Force Re-Sync Edit Delete View Errors

[▶ Add](#)

Click on <View Project Mappings>. Set Active to “Yes”. Type in any value for External Key (this is a required field but because SpiraTeam does not write to Zendesk it is never used by the app). Click <Update>.

Zendesk Project Data Mapping | Library Information System ([Change Project](#))

[<< Back to Data Synchronization Home](#)

To configure this project for data mapping with the 'Zendesk' plug-in, you need to specify the key/id of the project in the external system, and then click on the links below to actually configure the different fields that need to be mapped for the synchronization to operate:

Project Name:* Library Information System

External Key:*

Active:*

[▶ Update](#)

NOTES:


- The screen will return with a selection of configurable fields below the Update button. No changes here are required.
- There is no need to enter the <Edit> screen for the mapping. Indeed, settings here are automatically generated by the Zendesk app and should not be altered.

Repeat the above steps for every project Zendesk will need access to.

1.2. Creating an Incident in SpiraTeam


Zendesk agents are able to create an incident from within Zendesk that is logged directly into SpiraTeam. The app should not be visible to the public.

When an agent has a ticket, which raises an issue to pass to a development team, they open the app sidebar on the right hand side of Zendesk. They will see the following screen.



The screenshot shows the SpiraTeam app interface. At the top left is the 'SpiraTeam' logo with an orange 'S' icon. Below the logo is the heading 'To create a new incident, select a project'. Underneath is a dropdown menu with the text '--please select a project--' and a 'Go' button to its right. Below the dropdown and button is the text 'Issues Tracking and Project Management' and the 'Inflectra' logo.

In order to log an incident, the agent must decide which project the issue relates to. SpiraTeam will list all active projects in the drop down list. If an agent is unsure which project to select, we recommend that they discuss the issue with the development team first. Select a project and click <Go>.



This is a close-up of the dropdown menu from the previous screenshot. The heading 'To create a new incident, select a project' is at the top. The dropdown menu is open, showing the following options: '--please select a project--', '--please select a project--', 'Library Information System' (highlighted in blue), 'Sample Application One', and 'Sample Application Two'. A 'Go' button is visible to the right of the dropdown.


Zendesk will load fields specific to that project, including any custom properties or components. By default, as a minimum, the app collects Incident Type, Priority, Release, and Owner lists, all of which are required to be filled in, along with a subject field and a note.

By default, the subject field will be the same as the ticket's current subject, but the agent can change this to make as clear as possible to the developer – changing the subject in the SpiraTeam app will NOT change the subject of the ticket itself.

The Notes to Developers is initially left blank, so that the agent can provide meaningful information. If the agent wants to include the comment history of the ticket after their own notes, click <Add comment history to description>. NOTE: clicking this repeatedly will paste in the comment history multiple times.

The default form, where all fields are required before submission

An example of a comment history added to the notes field:

SpiraTeam 

Log Incident for:
Sample Application One

Subject

Note to Developers

[Add comment history to description](#)

Incident Type

Priority

Release

Owner

SpiraTeam issues tracking and logging app
[SpiraTeam](#)

Issues Tracking and Project Management
[Inflectra](#)

Note to Developers

Ticket Comment History:

Comment 1 (a public reply):Wednesday, October 7th 2015, 3:40 pm

I have tried to do so but the system disables the option for me to be able to do so. Can you please help?

agent @ Library Test App

Comment 2 (an internal note):Wednesday, October 7th 2015, 4:22 pm

Following conversation with the user, I have determined that they have sufficient access rights to the system, but for some reason still cannot edit the object. The dev team have said that they will look into it.

[Add comment history to description](#)



When a project has additional fields (such as components or custom properties), these are also displayed. The app provides a split view of the fields – those that are required and those that are optional. The tab at the top of the app lets agents switch between both.

Required fields visible

Library Information System

Subject

Optional fields visible

Library Information System


Components

Administration

If the agent wishes to cancel logging the incident, or has chosen the wrong project, click the <Back> button.

Once the form has been filled in, click <Log Incident>. If any of the fields have been left blank a notification will display and the form will not be processed. Once everything has been entered correctly, Zendesk attempts to send the form to SpiraTeam, along with links to any attachments stored with the ticket.

If Zendesk is not successful, a warning notification will be displayed (see below), and the agent is asked to attempt again.



1.3 Reviewing the Incident in SpiraTeam

Back in SpiraTeam the new incident should be visible within the main incident log. Details about the incident can be altered as needed, without risk of breaking the connection with Zendesk.

NOTE: On the incidents screen, you should notice a new field on the Overview page, called "Zendesk ID". This is the ID of the specific Zendesk ticket. Editing this field will break the connection and is not advised.



Incident Name: New Admin user can't edit existing books [IN:001221]

Name:*



▼ Details

Status:*	> New	Detected By:*	
Type:*	<input type="text" value="Issue"/>	Detected Release:*	
Priority:	<input type="text" value="3 - Medium"/>		
Severity:	<input type="text" value="-- None --"/>		
Component:	<input type="text" value="-- None --"/>	Last Updated:	
Notes:	<input type="text" value="-- Font --"/> <input type="text" value="-- Size --"/> B I U		
Operating System:*	<input type="text" value="Windows 8"/>	Web Browser:*	
Internal?:	<input type="checkbox"/>	Difficulty:	
Review Date:*	<input type="text" value="10/8/2015"/>	Decimal:	
Reviewer:	<input type="text" value="-- Please Select --"/>		
Zendesk ID:	<input type="text" value="8"/>		

1.4. Reviewing SpiraTeam Incidents Linked to a Zendesk Ticket

As soon as the incident has been successfully logged to SpiraTeam, the app in Zendesk will return to the screen showing lists of projects, in case another incident needs to be logged.

In addition, information about any incidents linked to the ticket are clearly shown, including the most up to date status from SpiraTeam so that the agent can clearly see whether an issue is resolved or not.

The image shows a Zendesk ticket interface on the left and a SpiraTeam incident list on the right. The ticket is titled "Can't edit library books" and includes a public reply from a "Library Agent" and a response from the "Sample customer". The SpiraTeam interface shows a form to create a new incident and a table of "Incident(s) Already Logged". A blue box highlights a row in the table with the subject "New Admin user can't edit existing books", type "Issue", and status "New".


Subject	Type	Status
New Admin user can't edit existing books	Issue	New

Hovering over a particular incident pops up the description to give the agent quick access to additional information.


The image shows a SpiraTeam incident tooltip. The tooltip contains the following text: "The customer is on the latest version of the software. See comment history below for more details. Ticket project". Below this text is a "Comment History" section with two entries: "Comment 1 (a public reply): Wednesday, October 7th 2015, 3:40 pm I have tried to do so but the system disables the option for me to be able to do so. Can you please help? agent @ Library Test App" and "Comment 2 (an internal note): Wednesday, October 7th 2015, 4:22 pm Following conversation with the user, I have determined that they have sufficient access rights to the system, but for some reason still cannot edit the object. The dev team have said that they will look into it." Below the comment history is a table with columns "Type" and "Status". The table contains one row: "New Admin user can't edit existing books" with type "Issue" and status "New".

Type	Status
Issue	New

Finally, clicking on any incident will display a modal pop up table with fuller details about all linked incidents, including the incident ID to help the agent follow up as needed with the developers.



Also shown on this table is the Last Updated date of the incident. Hovering over the data will display a tooltip with the time of the update.



Legal Notices

This publication is provided as is without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of merchantability, fitness for a particular purpose, or non-infringement.

This publication could include technical inaccuracies or typographical errors. Changes are periodically added to the information contained herein; these changes will be incorporated in new editions of the publication. Inflectra Corporation may make improvements and/or changes in the product(s) and/or program(s) and/or service(s) described in this publication at any time.

The sections in this guide that discuss internet web security are provided as suggestions and guidelines. Internet security is constantly evolving field, and our suggestions are no substitute for an up-to-date understanding of the vulnerabilities inherent in deploying internet or web applications, and Inflectra cannot be held liable for any losses due to breaches of security, compromise of data or other cyber-attacks that may result from following our recommendations.

SpiraTest®, SpiraPlan®, SpiraTeam® and Inflectra® are registered trademarks of Inflectra Corporation in the United States of America and other countries. Microsoft®, Windows®, Explorer® and Microsoft Project® are registered trademarks of Microsoft Corporation. All other trademarks and product names are property of their respective holders.

Please send comments and questions to:

Technical Publications

Inflectra Corporation

8121 Georgia Ave, Suite 504

Silver Spring, MD 20910-4957

U.S.A.

support@inflectra.com